Con

DTO3 Rec'd PCT/PTO 11 6 FEB 2005

JCWSCS 1 6 FEB 2005

SCULLY, SCOTT, MURPHY & PRESSER 400 GARDEN CITY PLAZA GARDEN CITY, NEW YORK 11530

Telephone: (516) 742-4343 Facsimile: (516) 742-4366 E-Mail: <u>intprop@ssmp.com</u>

FACSIMILE TRANSMISSION

To:

U. S. Patent and Trademark Office

Attention: Corrected Filing Receipt

Date:

February 3, 2005

Fax #

703-308-7751

Pages 17

From:

SCULLY, SCOTT, MURPHY & PRESSER

Re: Hisashi Koike, et al.

U.S. Patent Appln. No. 10/502,513

Your Ref: OSP-15982 Our Docket: 18026

COMMENTS:

The Filing Receipt for the above-identified Patent Application has the Title and Total claims incorrect should read:

TITLE: NUCLEIC ACID INFORMATION DETECTION METHOD AN APPARATUS

TOTAL CLAIMS: 40

Please send to us a corrected Filing Receipt with the information as it is shown on the pages to follow

Thank you.

If there are any problems concerning this facsimile, please call (516) 742-4343 and ask for Nekiesha Henry, Ext. 584.

CONFIDENTIALITY: The documents accompanying this facsimile transmission may contain informatic either confidential or legally privileged and is intended only for the authorized use of the individual or entity n without right of publication or republication, dissemination or disclosure except as expressly set forth or estal course of dealing. All rights are reserved. If you are not the intended recipient, you are hereby notified that as copying, distribution or use of the contents of this facsimile is prohibited. If you received this transmission in notify us immediately by telephone to arrange for return of the documents.

Page 1 of 2



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. Box 1450 Alexandra, Virginia 22313-1450 www.upplo.gov

;516 742 4366

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY.DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS	
10/502.513	07/23/2004	1753	3892	18026	16	50	3	

CONFIRMATION NO. 3956

23389 SCULLY SCOTT MURPHY & PRESSER, PC 400 GARDEN CITY PLAZA GARDEN CITY, NY 11530



Date Mailed: 12/14/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Hisashi Koike, Tokyo, JAPAN;
Tomonori Nagaoka, Tokyo, JAPAN;
Takatomo Satoh, Tokyo, JAPAN;
Yoshioki Kaneko, Tokyo, JAPAN;
Midori Hatanaka, Tokyo, JAPAN;
Morinao Fukuoka, Sagamihara-shi, JAPAN;
Hiroko Sakamoto, Tokyo, JAPAN;
Hiroyuki Yonekawa, Tokyo, JAPAN;

Power of Attorney:

Thomas Spinelli-39533

Domestic Priority data as claimed by applicant

This application is a 371 of PCT/JP03/00668 01/24/2003

Foreign Applications

JAPAN 2002-17272 01/25/2002 JAPAN 2002-247023 08/27/2002

Projected Publication Date: 03/17/2005

Page 2 of 2

Early Publication Request: No

Title

Method and apparatus for detecting nucleic acid data

Preliminary Class

204

LICENSE FOR FOREIGN FILING UNDER Title 35, United States Code, Section 184 Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

FORMP	TO-1390	(Modified) U.S. DEPARTMENT OF COM	MERCE PATENT AND TRADEMARK OFFICE	ATTC. LEY'S DOCKET NUMBER							
(REV. 11	1-2000) TR		TO THE UNITED STATES	18026							
				U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR							
DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371											
2 102 22			INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED							
INTERNATIONAL APPLICATION NO. PCT/JP03/00668			24 January 2003 (24.01.2003)	25 January 2002 (25.01.2002) *							
TITLE	OF D	IVENTION	TO CONTON METHOD AND ADDAD	ATTIC							
NUC	LEIC	C ACID INFORMATION DI	ETECTION METHOD AND APPARA	A105							
APPLI	CANI	r(s) FOR DO/EO/US	akatomo Satoh; Yoshioki Kaneko; Mi	idori Hatanaka; Morinao Fukuoka;							
Hisa	shi K	(oike; Tomonori Nagauka; 1 okomoto: Hirovuki Vonekay	va								
Hiro	Hiroko Sakamoto; Hiroyuki Yonekawa Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:										
Appli	cant h	terewith submits to the United Sta	tes Designated Liceted Grand (20, 20, 20, 20)	1							
1.	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.										
2.		This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5),									
3.	(6) (9) and (24) indicated below.										
4 N The US has been elected by the expiration of 19 months from the priority date (Article 31).											
5 N A copy of the International Application as filed (35 U.S.C. 371 (c) (2))											
a. is attached hereto (required only if not con			ired only if not communicated by the Intern	ommunicated by the International Bureau).							
		b. A has been communicate	d by the International Bureau.	· · · · · · · · · · · · · · · · · · ·							
I		c. is not required, as the a	ceiving Office (RO/US).								
6.											
a. 🗵 is attached hereto.											
b. has been previously submitted under 35 U.S.C. 154(d)(4).											
7.	Ø	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) a. are attached hereto (required only if not communicated by the International Bureau).									
1		the state of the s									
		 b. have been communicated by the International Butcast. c. have not been made; however, the time limit for making such amendments has NOT expired. 									
		d □ have not been made an	id will not be made.								
8.	፟	An English language translation	of the amendments to the claims under PCT	'Article 19 (35 U.S.C. 371(c)(3)).							
9.		A - anth or declaration of the inv	ventor(s) (35 U.S.C. 371 (c)(4)).								
10.		An English language translation of the annexes to the International Preliminary Examination Report under PC1									
	_	Article 36 (35 U.S.C. 371 (c)(5)	iminary Examination Report (PCT/IPEA/409	9).							
11.	⊠ 521	A copy of the International Free	rch Report (PCT/ISA/210).	•							
12.	Ø	A copy of the International Search Report (PCT/ISA/210).									
1		13 to 20 below concern document(s) or information included:									
13.	X E	An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.									
14.		An assignment document for recording. A separate cover sneet in compilation was a separate cover sneet in compilation. A FIRST preliminary amendment.									
15. 16.	_	A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment.									
17.	_	A substitute specification.									
18.		A change of power of attorney and/or address letter.									
19.		A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.									
20.	_	A second copy of the published	l international application under 35 U.S.C. 15	54(d)(4).							
21.	_	A second copy of the English la	anguage translation of the international applic	cation under 35 U.S.C. 154(d)(4).							
22	Ø	Express Mail Label No.	L871025149US								

03P00080 048-1598209

Docket:

PTO/SB/106 (3-00)

Approved for use through 10/31/02. OMB 0651-0032 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid ONB control number.

Declaration and Power of Attorney for Patent Application

特許出願国言書及び委任状

Japanese Language Declaration

巴古語語本日

私は、以下に記名された弗明者として、ここに下記の逆り宜言する:

As a below named inventor, I hereby declare that:

私の住所、郵便の元先そして国程は、私の氏名の役に記載された通 りである。

My residence, post office address and cilizenship are as stated next to my name.

・下記の名称の発明について、特許請求和疑に記載され、且つ特許が求められている見明主題に関して、私は、最初、最先且つ唯一の見明者である(唯一の氏名が記載されている場合)が、放いは最初、最先 且つ共同免募者である(複数の氏名が記載されている場合)と信じて いる。

I believe I am the original, first and sole inventor (If only one name is listed below) or an pricinal, first and joint inventor (if plurat names are listed below) of the subject matter which is claimed and for which a patent is sought on the Invention entitled

NUCLEIC ACID INFORMATION DETECTION

METHOD AND APPARATUS

上記是明の明細書はここに添付されているが、下記の猫がチェック されている場合は、このほうでない:

the specification of which is attached hereto unless the following box is checked:

の日に出風され、 この出取の米国出取者号またはPCT国際出取者号は、 であり、且つ の日に袖正された出取(弦当する場合)。 was filed on _January 24, 2003 as United States Application Number or PCT International Application Number
PCT/JP03/00668 and was amended on-July 8, 200 37 applicable).

私は、上記の若正書によって若正された、特許諸梁和盟を含む上記 明祝書を放対し、且つ内容を理解していることをここに表現する。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、益邦規則法典第37個規則1.56に定位をれている、分許 性について食芸な情報を開示する塩質があることを認める。

I acknowledge the duty to disclose information which is material to patentability as defined in Tillo 37. Code of Federal Regulations. Section 1.58.

Burden How Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Hisashi Koike, et al.

Examiner:

Unassigned

Serial No:

To be assigned

Art Unit:

Unassigned

Filed:

Herewith

Docket:

18026

For:

NUCLEIC ACID INFORMATION

Dated:

July 23, 2004

DETECTION METHOD AND

APPARATUS

Mail Stop PCT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

PRELIMINARY AMENDMENT

Sir:

In connection with the above-identified patent application, kindly enter the following preliminary amendment prior to examination.

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mailing Label No.: EL871025149US

Date of Deposit: July 23, 2004

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to Mail Stop PCT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: July 23, 2004

Thomas Spinelli

IN THE SPECIFICATION:

Please amend the paragraph beginning on page 27, line 31 as follows:

For the base sequence of K-ras oncogene, a database such as the GenBank was referenced, and probes (SEQ ID NO:56 to 62, 63 to 69, 70 to 76, 77 to 83) were solid-phased onto the microarray. In order to make the layout shown in FIG. 13, the composed probes were spotted using a micro dispersion system using a piezo device. At the spot 1 in FIG. 13, a 20mer sense strand probe corresponding to K-ras natural sequence (Wt) (SEQ ID NO:56) was arranged. At the spot 2, a 20mer sense strand probe corresponding to K-rasArg mutant (SEQ ID NO:57) was arranged. At the spot 3, a 20mer sense strand probe corresponding to KrasCys mutant (SEQ ID NO:58) was arranged. At spots 4 to 7, 20mer sense strand probes corresponding to SEQ ID NOs 59-62, respectively were arranged. At the spot 8, a 20mer anti-sense strand probe corresponding to K-rasWt (SEQ ID NO:63) was arranged. At spots 9 to 14, 20mer anti-sense probes, corresponding to SEQ ID NOs 64-69 respectively, are arranged. At the spot 15, a 17mer sense strand probe corresponding to K-rasWt (SEQ ID NO:70) were arranged. At spots 16-21, 17mer sense probes, corresponding to SEQ ID NOs 71-76 respectively, were arranged. At the spot 22, a 17mer anti-sense strand probe corresponding to K-rasWt (SEQ ID NO:77) was arranged. At spots 23-28, 17mer anti-sense probes, corresponding to SEQ ID NOs 78-83, were arranged.

IN THE CLAIMS:

1. (Original) A nucleic acid information detection method wherein a target nucleic acid and probes made solid phase on a carrier and having a complementary sequence with at least a portion of said target nucleic acid sequence are contacted with each other in order to form hybrids between said target nucleic acid and said probes, and the amount of signal generated depending on the amount of hybrids is measured in order to detect the information on the target nucleic acid,

said method including kinetically obtaining data of said signal.

- (Original) A nucleic acid information detection method according to claim
 wherein obtaining the data of said signal is performed while changing a measurement
 condition or a detection condition of a reaction.
- 3. (Original) A nucleic acid information detection method according to claim 2, wherein obtaining the data of said signal is performed while changing at least one of; a reaction temperature, a composition, a volume, and a type of reaction solution.
- 4. (Original) A nucleic acid information detection method according to claim3, wherein said change is for the reaction temperature.
- 5. (Original) A nucleic acid information detection method wherein a perfect matched probe having a perfect complementary sequence with respect to at least part of a target nucleic acid sequence, and one or more types of imperfectly matched probes having at least one part of the perfect matched probe mutated are contacted with said target nucleic acid in order to form hybrids between said target nucleic acid, and said perfect matched probe or

said imperfect matched probes, so that the information on the target nucleic acid can be detected based on a difference in binding strength of the hybrids,

said method including kinetically obtaining data of said signal while changing continuously or stepwise the condition for measuring or detecting the signal from said hybrids.

- 6. (Original) A nucleic acid information detection method according to claim 5, wherein obtaining the data of said signal is performed while changing at least one of; a reaction temperature, a composition, a volume, and a type of reaction solution.
- 7. (Original) A nucleic acid information detection method according to claim 6, wherein said change is for the reaction temperature
- 8. (Original) A nucleic acid information detection method according to claim 7, wherein said change of the reaction temperature is to increase the temperature from a temperature lower than a Tm value of the hybrids to be detected to a temperature higher than the Tm value.
- 9. (Original) A nucleic acid information detection method according to claim
 7, wherein said change of the reaction temperature is a temperature cycle of one or more times comprising increase and decrease between a temperature lower than the Tm value to a temperature higher than the Tm value.
- 10. (Currently Amended) A nucleic acid information detection method according to either claim 8 or claim 9, including a step of measuring a maximum value of the signal strength while increasing said temperature.

- 11. (Currently Amended) A nucleic acid information detection method according to either claim 8 or claim 9, including a step of measuring an amount of change in the signal strength while increasing said temperature.
- 12. (Original) A nucleic acid information detection method according to any one of claim 5 through claim 11, further comprising the steps of continuously or stepwise increasing the temperature at which a signal from said hybrid is measured, measuring the change in the signal strength from said hybrid between respective temperatures, and maintaining the temperature when the amount of change starts to decrease.
- 13. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 12 11, wherein in an identical system where identical reaction conditions are applicable, a plurality of types of probes are used in order to detect the information on a plurality of types of nucleic acids at the same time.
- 14. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 13 11, wherein said probes are a plurality of types of probes having a plurality of types of sequences and said probes have mutually overlapped sequences.
- 15. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 14 11, wherein said probes having a plurality of types of sequences comprise overlapping probes of; a perfect matched probe having a perfect complementary sequence at least partially with said target nucleic acid sequence, one or more types of imperfect matched probes having at least one partial mutation in said perfect

matched probe, and said perfect matched probe and said imperfect matched probe having an extended or shortened base sequence on both ends or one end.

- 16. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 15 11, further comprising a step of comparing an analysis result of a probe group having a lower Tm value among the overlapping probes with an analysis result of a probe group having a higher Tm value, thereby deciding the nucleic acid information.
- 17. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 16 11, wherein the probes have sequences (SEQ ID NO: 59 to 69) comprising 20mer base sequences for analyzing K-ras codon12.
- 18. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 17 11, wherein the probes have sequences (SEQ ID NO: 70 to 83) comprising 17mer base sequences for analyzing K-ras codon12.
- 19. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 18 11, wherein the probes consist of probes having sequences of (SEQ ID NO: 56 to 83 69) 17mer 20mer base sequences for analyzing K-ras codon12, and probes having sequences of (SEQ ID NO: 70 to 83) 20mer 17mer base sequences for analyzing K-ras codon12.
- 20. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 19 11, wherein said hybrid formation is

performed by making a liquid sample including a target nucleic acid contact with a probe fixed onto a porous body.

- 21. (Original) A nucleic acid information detection method according to claim 20, further comprising a step of making said liquid sample reciprocate once or a plurality of times in said porous body.
- 22. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 21 11, wherein said signal is detected based on detection of a fluorescent marker.
- 23. (Currently Amended) A nucleic acid information detection method according to any one of claim 1 through claim 22 11, wherein said target nucleic acid is any one of an oncogene, an intracellular drug resistance gene, a cell cycle regulator gene, and an apoptosis related gene, or a combination of these.
- 24. (Original) A nucleic acid information detection apparatus comprising: a sample storage container for containing a sample including a target nucleic acid; a nucleic acid reaction carrier including a porous structure which can fix said nucleic acid and connected to said container; a driving device for mobilizing said sample under control, between said container and said nucleic acid reaction carrier without leaking; a temperature control device for controlling a reaction temperature on said reaction carrier; and a device for detecting a signal from a hybrid between a target nucleic acid and probes formed on said porous structure.

- 26. (Original) A nucleic acid information detection apparatus according to either one of claim 24 and claim 25, wherein said target nucleic acid is any one of an oncogene, an intracellular drug resistance gene, a cell cycle regulator gene, and a apoptosis related gene, or a combination of these.
- 27. (New) A nucleic acid information detection method according to claim 9, including a step of measuring a maximum value of the signal strength while increasing said temperature.
- 28. (New) A nucleic acid information detection method according to claim 9, including a step of measuring an amount of change in the signal strength while increasing said temperature.
- 29. (New) A nucleic acid information detection method according to claim 27 or 28, further comprising the steps of continuously or stepwise increasing the temperature at which a signal from said hybrid is measured, measuring the change in the signal strength from said hybrid between respective temperatures, and maintaining the temperature when the amount of change starts to decrease.

30. (New) A nucleic acid information detection method according to claim 27 or 28, wherein in an identical system where identical reaction conditions are applicable, a plurality of types of probes are used in order to detect the information on a plurality of types of nucleic acids at the same time.

- 31. (New) A nucleic acid information detection method according to claim 27 or 28, wherein said probes are a plurality of types of probes having a plurality of types of sequences and said probes have mutually overlapped sequences.
- 32. (New) A nucleic acid information detection method according to claim 27 or 28, wherein said probes having a plurality of types of sequences comprise overlapping probes of; a perfect matched probe having a perfect complementary sequence at least partially with said target nucleic acid sequence, one or more types of imperfect matched probes having at least one partial mutation in said perfect matched probe, and said perfect matched probe and said imperfect matched probe having an extended or shortened base sequence on both ends or one end.
- 33. (New) A nucleic acid information detection method according to claim 27 or 28, further comprising a step of comparing an analysis result of a probe group having a lower Tm value among the overlapping probes with an analysis result of a probe group having a higher Tm value, thereby deciding the nucleic acid information.
- 34. (New) A nucleic acid information detection method according to claim 27 or 28, wherein the probes have sequences (SEQ ID NO: 59 to 69) comprising 20mer base sequences for analyzing K-ras codon12.

- 36. (New) A nucleic acid information detection method according to claim 27 or 28, wherein the probes consist of probes having sequences of (SEQ ID NO: 56 to 69) 20mer base sequences for analyzing K-ras codon12, and probes having sequences of (SEQ ID NO: 70 to 83) 17mer base sequences for analyzing K-ras codon12.
- 37. (New) A nucleic acid information detection method according to claim 27 or 28, wherein said hybrid formation is performed by making a liquid sample including a target nucleic acid contact with a probe fixed onto a porous body.
- 38. (New) A nucleic acid information detection method according to claim 37, further comprising a step of making said liquid sample reciprocate once or a plurality of times in said porous body.
- 39. (New) A nucleic acid information detection method according to claim 27 or 28, wherein said signal is detected based on detection of a fluorescent marker.
- 40. (New) A nucleic acid information detection method according to claim 27 or 28, wherein said target nucleic acid is any one of an oncogene, an intracellular drug resistance gene, a cell cycle regulator gene, and an apoptosis related gene, or a combination of these.

<u>REMARKS</u>

It is respectfully requested that this Preliminary Amendment be entered in the above-identified application prior to examination.

By means of the present Preliminary Amendment, the claims have been amended in accordance with accepted U.S. practice. Specifically, the claims have been amended to comply with U.S. practice in not having a multiple dependent claim depend from another multiple dependent claim. No new matter has been entered into the disclosure by way of such amendment.

Furthermore, by way of the present preliminary amendment, new claims 27-40 have been added to further define the patentable invention. New claims 27-40 are fully supported in the original disclosure. Thus, no new matter has been entered into the disclosure by way to the addition of new claims 27-40.

Lastly, in an effort to clarify the description, the Applicants have amended the application in Example 6 to identify the probes arranged at each spot. The Applicants have also amended the Sequence Listing at SEQ ID NOs: 10, 12, 13, 15-25 and 56-83 to clarify that the sequence provided therein are primers or probes and therefore properly designated as "Artificial Sequence" pursuant to 37 C.F.R. §1.821 et seq. Support for this amendment is found in the Examples. No new matter has been added.

2- 8-05: 2:30PM;SSMP

;516 742 4366

It is respectfully requested that this Preliminary Amendment be entered in the above-identified application prior to examination.

Respectfully submitted,

Thomas Spinelli

Registration No.: 39,533

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343 TS:cm